#### AMENDMENTS TO THE CLAIMS

The following listing of claims will replace all prior versions and listings of claims in the application.

## Listing of claims:

Claim 1 (currently amended). A compound selected from those of formula (I):

$$(\mathbf{R}_{2})_{\mathbf{m}} \xrightarrow{\mathbf{A}} (\mathbf{Z}_{1})_{\mathbf{n}} \xrightarrow{\mathbf{Z}} \mathbf{X}_{3} \xrightarrow{\mathbf{N}} \mathbf{R}_{3}$$
 (I)

in which:

R<sub>1</sub> represents a group selected from :

- hydrogen, amino,
- $(C_1-C_6)$ alkyl,  $(C_3-C_6)$ alkenyl,  $(C_3-C_6)$ alkynyl, mono $(C_1-C_6)$ alkylamino $(C_1-C_6)$ alkyl, di $(C_1-C_6)$ alkylamino $(C_1-C_6)$ alkyl, aryl, aryl $(C_1-C_6)$ alkyl, heterocycle, and 3- to 6-membered cycloalkyl $(C_1-C_6)$ alkyl, these groups being unsubstituted or substituted with one or more groups, which may be identical or different, selected from amino,  $(C_1-C_6)$ alkyl, cyano, halo $(C_1-C_6)$ alkyl,  $(C_1-C_6)$ alkyl,  $(C_1-C_6)$ alkyl,  $(C_1-C_6)$ alkyl,  $(C_1-C_6)$ alkyl,

W represents an oxygen atom, a sulphur atom, or a group =N-R', in which R' represents  $(C_1-C_6)$ alkyl, hydroxyl, or cyano,

 $X_1$ ,  $X_2$  and  $X_3$  represent, independently of each other, a nitrogen atom or a group C  $R_6$  in which  $R_6$  represents a group selected from hydrogen,  $(C_1 - C_6)$ alkyl, amino, mono( $C_1 - C_6$ )alkylamino, di( $C_1 - C_6$ )alkylamino, hydroxyl,  $(C_1 - C_6)$ alkoxy, and halogen, with the proviso that not more than two of the groups  $X_1$ ,  $X_2$  and  $X_3$  simultaneously represent a nitrogen atom,

 $X_1$  and  $X_3$  represent, independently of each other, a group -C-R<sub>6</sub> in which R<sub>6</sub> represents a group selected from hydrogen, (C<sub>1</sub>-C<sub>6</sub>)alkyl, amino, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino, hydroxyl, (C<sub>1</sub>-C<sub>6</sub>)alkoxy, and halogen;

## X<sub>2</sub> is nitrogen;

Y represents a group selected from oxygen atom, sulphur atom, -NH, and -N(C<sub>1</sub>-C<sub>6</sub>)alkyl,

## Z represents:

- an oxygen atom, a sulphur atom,
- or a group  $-NR_7$  in which  $R_7$  represents a group selected from hydrogen,  $(C_1-C_6)$ alkyl, aryl $(C_1-C_6)$ alkyl, cycloalkyl, aryl, and heteroaryl, and
- when Y is an oxygen atom, a sulphur atom, or a group -N(C<sub>1</sub>-C<sub>6</sub>)alkyl, Z optionally represents a carbon atom which is unsubstituted or substituted with a (C<sub>1</sub>-C<sub>6</sub>)alkyl, an aryl, an aryl(C<sub>1</sub>-C<sub>6</sub>)alkyl, an aromatic or non-aromatic heterocycle or a cycloalkyl,

n is an integer from 1 to 8 inclusive,

 $Z_1$  represents  $-CR_8R_9$  wherein  $R_8$  and  $R_9$ , independently of each other, represent a group selected from hydrogen,  $(C_1-C_6)$ alkyl, halo $(C_1-C_6)$ alkyl, halogen, amino,  $OR_4$ ,  $SR_4$  or  $C(=O)OR_4$  in which  $R_4$  represents a hydrogen or  $(C_1-C_6)$ alkyl, and

- when n is greater than or equal to 2, the hydrocarbon chain  $Z_1$  optionally contains one or more multiple bonds,
- and/or one of the carbon atoms in the hydrocarbon chain Z<sub>1</sub> may be replaced with an oxygen atom, a sulphur atom which is unsubstituted or substituted with one or two oxygen atoms, or a nitrogen atom which is unsubstituted or substituted with a (C<sub>1</sub>-C<sub>6</sub>)alkyl,
- and when one of the carbon atoms in the hydrocarbon chain  $Z_1$  is replaced with a sulphur atom which is unsubstituted or substituted with one or two oxygen atoms, then the group -C(=Y)-Z- optionally may be absent in the general formula (I),

A represents a group selected from:

• aromatic or non-aromatic, 5- or 6-membered monocycle comprising from 0 to 4 heteroatoms selected from nitrogen, oxygen and sulphur, and

• bicycle, composed of two aromatic or non-aromatic, 5- or 6-membered rings, which may be identical or different, comprising from 0 to 4 heteroatoms selected from nitrogen, oxygen and sulphur,

m is an integer from 0 to 7 inclusive,

the group(s)  $R_2$ , which may be identical or different, is (are) selected from  $(C_1-C_6)$ alkyl, halogen, -CN, NO<sub>2</sub>, SCF<sub>3</sub>, -CF<sub>3</sub>, -OCF<sub>3</sub>, -NR<sub>10</sub>R<sub>11</sub>, -OR<sub>10</sub>, -SR<sub>10</sub>, SOR<sub>10</sub>, -SO<sub>2</sub>R<sub>10</sub>, -(CH<sub>2</sub>)<sub>k</sub>SO<sub>2</sub>NR<sub>10</sub>R<sub>11</sub>, -X<sub>5</sub>(CH<sub>2</sub>)<sub>k</sub>C(=O)OR<sub>10</sub>, -(CH<sub>2</sub>)<sub>k</sub>C(=O)OR<sub>10</sub>, -(CH<sub>2</sub>)<sub>k</sub>C(=O)NR<sub>10</sub>R<sub>11</sub>, -(CH<sub>2</sub>)<sub>k</sub>C(=O)NR<sub>10</sub>R<sub>11</sub>, and -X<sub>4</sub>-R<sub>12</sub> in which:

- $X_5$  represents a group selected from oxygen, sulphur optionally substituted by one or two oxygen atoms, and nitrogen substituted by hydrogen or  $(C_1-C_6)$  alkyl,
  - k is an integer from 0 to 3 inclusive,
- $\bullet$  R<sub>10</sub> and R<sub>11</sub>, which may be identical or different, are selected from hydrogen and (C<sub>1</sub>-C<sub>6</sub>)alkyl,
- $X_4$  represents a group selected from single bond, -CH<sub>2</sub>-, oxygen atom, sulphur atom optionally substituted by one or two oxygen atoms, and nitrogen atom substituted by hydrogen atom or (C<sub>1</sub>-C<sub>6</sub>)alkyl group,
- R<sub>12</sub> represents an aromatic or non-aromatic, heterocyclic or non-heterocyclic, 5- or 6-membered ring which is unsubstituted or substituted with one or more groups, which may be identical or different, selected from (C<sub>1</sub>-C<sub>6</sub>)alkyl, halogen, hydroxyl and amino, and when the ring is heterocyclic, it comprises from 1 to 4 heteroatoms selected from nitrogen, oxygen and sulphur;

R<sub>3</sub> represents a group selected from:

- hydrogen,
- $(C_1-C_6)$ alkyl,  $(C_3-C_6)$ alkenyl,  $(C_3-C_6)$ alkynyl, these groups being unsubstituted or substituted with one or more groups, which may be identical or different, selected from amino, cyano, halo $(C_1-C_6)$ alkyl, cycloalkyl,  $-C(=O)NR_{10}R_{11}$ ,  $-C(=O)OR_{10}$ ,  $OR_{10}$ , and  $SR_{10}$ , in which  $R_{10}$  and  $R_{11}$ , which may be identical or different, represent hydrogen or  $(C_1-C_6)$ alkyl,
  - and the group of formula:

$$(\mathbf{R}_5)_{\mathbf{q}}$$
  $(\mathbf{Z}_2)_{\mathbf{p}}$ 

- ✓ in which p is an integer from 0 to 8 inclusive,
- ✓  $Z_2$  represents -CR<sub>13</sub>R<sub>14</sub> wherein R<sub>13</sub> and R<sub>14</sub>, independently of each other, represent a group selected from hydrogen, (C<sub>1</sub>-C<sub>6</sub>)alkyl, phenyl, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl, halogen, amino, OR<sub>4</sub>, SR<sub>4</sub> and -C(=O)OR<sub>4</sub> in which R<sub>4</sub> represents hydrogen or (C<sub>1</sub>-C<sub>6</sub>)alkyl, and
  - when p is greater than or equal to 2, the hydrocarbon chain  $\mathbb{Z}_2$  optionally contains one or more multiple bonds,
  - and/or one of the carbon atoms in the hydrocarbon chain Z<sub>2</sub> may be replaced with an oxygen atom, a sulphur atom which is unsubstituted or substituted with one or two oxygen atoms, a nitrogen atom which is unsubstituted or substituted with a (C<sub>1</sub>-C<sub>6</sub>)alkyl, or a carbonyl group,

# ✓ B represents a group selected from:

- an aromatic or non-aromatic 5- or 6-membered monocycle comprising from 0 to 4
   heteroatoms selected from nitrogen, oxygen and sulphur, and
- a bicycle, composed of two aromatic or non-aromatic, 5- or 6-membered rings, which may be identical or different, comprising from 0 to 4 heteroatoms selected from nitrogen, oxygen and sulphur,

- $\checkmark$  q is an integer from 0 to 7 inclusive,
- ✓ the group(s)  $R_5$ , which may be identical or different, is (are) selected from  $(C_1\text{-}C_6)$ alkyl, halogen, CN, NO<sub>2</sub>, CF<sub>3</sub>, OCF<sub>3</sub>, -(CH<sub>2</sub>)<sub>k</sub>NR<sub>15</sub>R<sub>16</sub>, -N(R<sub>15</sub>)C(=O)R<sub>16</sub>, -N(R<sub>15</sub>)C(=O)OR<sub>16</sub>, -N(R<sub>15</sub>)SO<sub>2</sub>R<sub>16</sub>, -N(SO<sub>2</sub>R<sub>15</sub>)<sub>2</sub>, -OR<sub>15</sub>, -S(O)<sub>k1</sub>R<sub>15</sub>, -SO<sub>2</sub>-N(R<sub>15</sub>)-(CH<sub>2</sub>)<sub>k2</sub>-NR<sub>16</sub>R<sub>17</sub>, -(CH<sub>2</sub>)<sub>k</sub>SO<sub>2</sub>NR<sub>15</sub>R<sub>16</sub>, -X<sub>7</sub>(CH<sub>2</sub>)<sub>k</sub>C(=O)OR<sub>15</sub>, -(CH<sub>2</sub>)<sub>k</sub>C(=O)OR<sub>15</sub>, -C(=O)O-(CH<sub>2</sub>)<sub>k2</sub>-NR<sub>15</sub>R<sub>16</sub>, -C(=O)O-(CH<sub>2</sub>)<sub>k2</sub>-C(=O)OR<sub>18</sub>, -X<sub>7</sub>(CH<sub>2</sub>)<sub>k</sub>C(=O)NR<sub>15</sub>R<sub>16</sub>, -(CH<sub>2</sub>)<sub>k</sub>C(=O)NR<sub>15</sub>R<sub>16</sub>, -R<sub>19</sub>-C(=O)OR<sub>15</sub>, -X<sub>6</sub>-R<sub>20</sub>, and -C(=O)-R<sub>21</sub>-NR<sub>15</sub>R<sub>16</sub> in which :
  - $X_7$  represents a group selected from oxygen atom, sulphur atom optionally substituted by one or two oxygen atoms, and nitrogen atom substituted by a hydrogen atom or a  $(C_1-C_6)$ alkyl group,
  - k is an integer from 0 to 3 inclusive,
  - k1 is an integer from 0 to 2 inclusive,
  - k2 is an integer from 1 to 4 inclusive,
  - $R_{15}$ ,  $R_{16}$  and  $R_{17}$ , which may be identical or different, are selected from hydrogen and  $(C_1-C_6)$ alkyl,
  - $R_{18}$  represents a group selected from  $(C_1\text{-}C_6)$ alkyl, - $R_{21}\text{-}NR_{15}R_{16}$ , - $R_{21}\text{-}NR_{15}\text{-}C(=O)\text{-}R_{21}\text{-}NR_{16}R_{17}$ , and - $C(=O)\text{O-}R_{21}\text{-}NR_{15}R_{16}$  in which  $R_{21}$  represents a linear or branched  $(C_1\text{-}C_6)$ alkylene group, and  $R_{15}$ ,  $R_{16}$  and  $R_{17}$  are as defined hereinbefore,
  - R<sub>19</sub> represents a (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group,

- $X_6$  represents a group selected from single bond, -CH<sub>2</sub>-, oxygen atom, sulphur atom optionally substituted by one or two oxygen atoms, and nitrogen atom substituted by hydrogen atom or (C<sub>1</sub>-C<sub>6</sub>)alkyl group,
- $R_{20}$  represents an aromatic or non-aromatic, heterocyclic or non-heterocyclic, 5- or 6-membered ring, which is unsubstituted or substituted with one or more groups, which may be identical or different, selected from  $(C_1-C_6)$ alkyl, halogen, hydroxyl, oxo, cyano, tetrazole, amino, and  $-C(=O)OR_4$  wherein  $R_4$  represents hydrogen or  $(C_1-C_6)$ alkyl, and, when the ring is heterocyclic, it comprises from 1 to 4 heteroatoms selected from nitrogen, oxygen and sulphur,

with the proviso that when  $X_1$  represents a nitrogen atom,  $X_2$  cannot represent a carbon atom substituted with a methyl group or with NH-CH<sub>3</sub>, optionally, the racemic forms thereof, isomers thereof, Noxydes Noxides thereof, and the pharmaceutically acceptable salts thereof.

#### Claim 2 (canceled).

Claim 3 (currently amended). A compound of formula (I) according to Claim 1 characterized in that:

n is an integer from 1 to 6 inclusive,

 $Z_1$  represents  $-CR_8R_9$  wherein  $R_8$  represents a hydrogen atom and  $R_9$  represents a hydrogen atom or a methyl group, and

- when n is greater than or equal to 2, the hydrocarbon chain  $Z_1$  optionally contains a double bond,
- or, one of the carbon atoms in the hydrocarbon chain  $Z_1$  may be replaced with an oxygen atom, or a sulphur atom which is unsubstituted or substituted with one or two oxygens,

A represents a group selected from phenyl, pyridyl, thienyl, imidazolyl, furyl, piperidyl, 1,3-benzodioxolyl, benzodioxinyl, benzothienyl, benzofuryl, benzofurazanyl, 2,1,3-benzothiadiazolyl, and indolyl,

m is an integer from 0 to 7 inclusive,

the group(s)  $R_2$ , which may be identical or different, is (are) selected from  $(C_1\text{-}C_6)$ alkyl, halogen, -CN, -CF<sub>3</sub>, -OCF<sub>3</sub>, -NR<sub>10</sub>R<sub>11</sub>, -OR<sub>10</sub>, -SR<sub>10</sub>, -SO<sub>2</sub>R<sub>10</sub>, -(CH<sub>2</sub>)<sub>k</sub>SO<sub>2</sub>NR<sub>10</sub>R<sub>11</sub>, -X<sub>5</sub>(CH<sub>2</sub>)<sub>k</sub>C(=O)OR<sub>10</sub>, -(CH<sub>2</sub>)<sub>k</sub>C(=O)OR<sub>10</sub>, -X<sub>5</sub>(CH<sub>2</sub>)<sub>k</sub>C(=O)NR<sub>10</sub>R<sub>11</sub>, -(CH<sub>2</sub>)<sub>k</sub>C(=O)NR<sub>10</sub>R<sub>11</sub>, and -X<sub>4</sub>-R<sub>12</sub> in which:

- $\checkmark$  X<sub>5</sub> represents O, S or NH,
- ✓ k is an integer from 0 to 3 inclusive,
- $\checkmark$  R<sub>10</sub> and R<sub>11</sub>, identical or different, are selected from hydrogen and (C<sub>1</sub>-C<sub>6</sub>)alkyl,
- ✓  $X_4$  represents -CH<sub>2</sub>-, or an oxygen atom,
- ✓ R<sub>12</sub> represents a phenyl group which is unsubstituted or substituted with one or more groups, which may be identical or different, selected from (C<sub>1</sub>-C<sub>6</sub>)alkyl, halogen, hydroxyl and amino,

optionally, the racemic forms thereof, isomers thereof, Noxydes Noxides thereof, and the pharmaceutically acceptable salts thereof.

Claim 4 (currently amended). A compound of formula (I) according to Claim 1 characterized in that:

 $R_3$  represents hydrogen,  $(C_1-C_6)$  alkyl or the group of formula:

$$(R_5)_q$$
  $(Z_2)_p$ 

- in which p is an integer from 0 to 3 inclusive,
- Z<sub>2</sub> represents -CR<sub>13</sub>R<sub>14</sub> wherein R<sub>13</sub> and R<sub>14</sub>, independently of each other, represent a group selected from hydrogen, methyl, or phenyl, and

- when p is greater than or equal to 2, the hydrocarbon chain  $\mathbb{Z}_2$  optionally contains one double bond,
- or one of the carbon atoms in the hydrocarbon chain Z<sub>2</sub> may be replaced with an oxygen atom, a sulphur atom which is unsubstituted or substituted with one or two oxygen atoms, a nitrogen atom which is unsubstituted or substituted with a (C<sub>1</sub>-C<sub>6</sub>)alkyl, or a carbonyl group,
- B represents a group selected from phenyl, pyridyl, thienyl, imidazolyl, furyl, 1,3-benzodioxolyl, benzodioxinyl, benzothienyl, benzofuryl, 2,1,3-benzothiadiazolyl, benzofurazanyl, naphthyl, and indolyl,
- q is an integer from 0 to 3 inclusive,
- the group(s)  $R_5$ , which may be identical or different, is (are) selected from  $(C_1\text{-}C_6)$ alkyl, halogen, CN, NO<sub>2</sub>, CF<sub>3</sub>, OCF<sub>3</sub>, -(CH<sub>2</sub>)<sub>k</sub>NR<sub>15</sub>R<sub>16</sub>, -N(R<sub>15</sub>)C(=O)R<sub>16</sub>, -N(R<sub>15</sub>)C(=O)OR<sub>16</sub>, -N(R<sub>15</sub>)SO<sub>2</sub>R<sub>16</sub>, -N(SO<sub>2</sub>R<sub>15</sub>)<sub>2</sub>, -OR<sub>15</sub>, -S(O)<sub>k1</sub>R<sub>15</sub>, -SO<sub>2</sub>-N(R<sub>15</sub>)-(CH<sub>2</sub>)<sub>k2</sub>-NR<sub>16</sub>R<sub>17</sub>, -(CH<sub>2</sub>)<sub>k</sub>SO<sub>2</sub>NR<sub>15</sub>R<sub>16</sub>, -X<sub>7</sub>(CH<sub>2</sub>)<sub>k</sub>C(=O)OR<sub>15</sub>, -(CH<sub>2</sub>)<sub>k</sub>C(=O)OR<sub>15</sub>, -C(=O)O-(CH<sub>2</sub>)<sub>k2</sub>-NR<sub>15</sub>R<sub>16</sub>, -X<sub>7</sub>(CH<sub>2</sub>)<sub>k</sub>C(=O)NR<sub>15</sub>R<sub>16</sub>, and -(CH<sub>2</sub>)<sub>k</sub>C(=O)NR<sub>15</sub>R<sub>16</sub> in which :
  - X<sub>7</sub> is S, O or NH,
  - k is an integer from 0 to 3 inclusive,
  - k1 is an integer from 0 to 2 inclusive,
  - k2 is an integer from 1 to 4 inclusive,
  - R<sub>15</sub>, R<sub>16</sub> and R<sub>17</sub>, which may be identical or different, are selected from hydrogen and (C<sub>1</sub>-C<sub>6</sub>)alkyl,

optionally, the racemic forms thereof, isomers thereof, Noxydes Noxides thereof, and the pharmaceutically acceptable salts thereof.

## Claims 5 to 7 (canceled).

Claim 8 (currently amended). A compound of formula (I) according to Claim 1 characterized in that  $R_1$  represents a hydrogen atom or a  $(C_1-C_6)$ alkyl group, optionally, the racemic forms thereof, isomers thereof, N-oxydes N-oxides thereof, and the pharmaceutically acceptable salts thereof.

Claim 9 (currently amended). A compound of formula (I) according to Claim 1 characterized in that:

W represents an oxygen atom,

Y represents an oxygen atom,

Z represents a NH group,

 $Z_1$  represents a methylene group,

and n is equal to one,

optionally, the racemic forms thereof, isomers thereof, Noxydes Noxides thereof, and the pharmaceutically acceptable salts thereof.

#### Claim 10 (canceled).

Claim 11 (currently amended). A compound of formula (I) according to Claim 1 characterized in that:

 $X_1$  and  $X_3$  represent each a -CH group,

and X<sub>2</sub> represents a -CH group or a nitrogen atom,

optionally, the racemic forms thereof, isomers thereof, Noxydes Noxides thereof, and the pharmaceutically acceptable salts thereof.

Claim 12 (currently amended). A compound of formula (I) according to Claim 1 characterized in that:

 $X_1$  and  $X_3$  represent each a -CH group,

and X2 represents a nitrogen atom,

optionally, the racemic forms thereof, isomers thereof, Noxydes Noxides thereof, and the pharmaceutically acceptable salts thereof.

Claim 13 (currently amended). A compound of formula (I) according to Claim 1 characterized in that:

A represents a group selected from phenyl, pyridyl, 1,3-benzodioxolyl, and benzofurazanyl,

m is equal to 0 or 1,

and  $R_2$  represents a group selected from  $(C_1-C_6)$ alkoxy, hydroxy, halogen, and  $(C_1-C_6)$ thioalkoxy,

optionally, the racemic forms thereof, isomers thereof, Noxydes Noxides thereof, and the pharmaceutically acceptable salts thereof.

Claim 14 (currently amended). A compound of formula (I) according to Claim 1 characterized in that R<sub>3</sub> represents a group of formula:

$$(R_5)_q$$
  $B$   $(Z_2)_p$ 

in which:

p is equal to 1,

Z<sub>2</sub> represents a methylen methylene group,

B represents a group selected from phenyl, pyridyl, 1,3-benzodioxolyl, and benzofurazanyl,

q is an integer from 0 to 2 inclusive,

and  $R_5$  represent(s) a group selected from halogen, CN, -(CH<sub>2</sub>)<sub>k</sub>NR<sub>15</sub>R<sub>16</sub>, -S(O)<sub>k1</sub>R<sub>15</sub>, -(CH<sub>2</sub>)<sub>k</sub>SO<sub>2</sub>NR<sub>15</sub>R<sub>16</sub>, -(CH<sub>2</sub>)<sub>k</sub>C(=O)OR<sub>15</sub>, -(CH<sub>2</sub>)<sub>k</sub>C(=O)NR<sub>15</sub>R<sub>16</sub>, and -X<sub>6</sub>-R<sub>20</sub>, in which :


- k is an integer from 0 to 1 inclusive,
- k1 is an integer from 0 to 2 inclusive,
- R<sub>15</sub> and R<sub>16</sub>, which may be identical or different, are selected from hydrogen and (C<sub>1</sub>-C<sub>6</sub>)alkyl,
- X<sub>6</sub> represents a bond,
- R<sub>20</sub> represents a 5-membered heterocyclic ring comprising from 3 to 4 heteroatoms selected from oxygen and nitrogen and optionally substituted with a methyl group or an oxo group,

optionally, the racemic forms thereof, isomers thereof, N-oxydes N-oxides thereof, and the pharmaceutically acceptable salts thereof.

Claim 15 (currently amended). A compound of formula (I) according to Claim 1,
which is:
- 3 Benzyl-2,4 dioxo-1,2,3,4 tetrahydroquinazoline-6 carboxylic acid benzylamide,
3 Benzyl-2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6 carboxylic acid
(4 pyridylmethyl) amide,
- 3 Benzyl 2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6 carboxylic acid
(benzo[1,3]dioxol-5-ylmethyl)amide,
3 Benzyl-2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6 carboxylic acid
(2-thienylmethyl) amide,
3 Benzyl 2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6 carboxylic acid
(3-pyridylmethyl) amide,
3 Benzyl 2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6 carboxylic acid
4 methoxybenzyl amide,
- 3 Benzyl 2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6 carboxylic acid 4 chlorobenzyl
amide,
- 3-Benzyl 2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6 carboxylic acid 4 methylbenzyl
amide,
- 3-Benzyl 1-methyl 2,4 dioxo-1,2,3,4 tetrahydroquinazoline-6-carboxylic acid
(benzo[1,3]dioxol-5-ylmethyl)amide,
- 3-Benzyl 1-methyl-2,4 dioxo 1,2,3,4-tetrahydroquinazoline 6-carboxylic acid
benzylamide,
— Methyl 4-({[1 (3 benzyl-1 methyl 2,4 dioxo 1,2,3,4 tetrahydroquinazolin-6-yl)
methanoyl]amino]methyl)benzoate,
3 Benzyl-1 methyl-2,4 dioxo-1,2,3,4 tetrahydroquinazoline 6 carboxylic acid
4 hydroxy 3 methoxybenzylamide,
- 3-Benzyl 1 methyl 2,4 dioxo-1,2,3,4 tetrahydroquinazoline 6 carboxylic acid
4-methoxy benzylamide,
— 3 Benzyl-1-methyl 2.4 dioxo 1.2.3.4 tetrahydroguinazoline 6 carboxylic acid

## (4-pyridylmethyl)amide,

- 1 Methyl-2,4 dioxo 3 phenethyl-1,2,3,4 tetrahydroquinazoline 6 carboxylic acid (benzo[1,3]dioxol-5 ylmethyl)amide,
- 3 (4 Methoxybenzyl) 2,4-dioxo-1,2,3,4 tetrahydroquinazoline 6-carboxylic acid (benzo[1,3]dioxol-5 ylmethyl)amide,
- 3-(4 Methoxybenzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6 carboxylic acid (benzo[1,3]dioxol 5 ylmethyl)amide;
- 3 (4 Methoxybenzyl) 1 methyl-2,4 dioxo-1,2,3,4 tetrahydroquinazoline 6 carboxylic acid 4 methoxybenzylamide,
- 3 (1 Naphth-1 ylethyl) 2,4 dioxo-1,2,3,4 tetrahydroquinazoline 6 carboxylic acid (benzo[1,3]dioxol-5 ylmethyl)amide,
- 2,4 Dioxo 3 (pyrid 4-ylmethyl) 1,2,3,4 tetrahydroquinazoline 6 carboxylic acid (benzo[1,3]dioxol 5 ylmethyl)amide,
- 2,4-Dioxo 3 (thien 2-ylmethyl) 1,2,3,4-tetrahydroquinazoline 6 carboxylic acid benzylamide,
- 1-Methyl 2,4 dioxo-3-(thien 2 ylmethyl) 1,2,3,4 tetrahydroquinazoline 6-carboxylic acid benzylamide,
- 2,4-Dioxo 3 (thien-2-ylmethyl) 1,2,3,4 tetrahydroquinazoline 6 carboxylic acid (benzo[1,3]dioxol 5 ylmethyl)amide,
- 1 Methyl 2,4 dioxo-3 (thien 2 ylmethyl) 1,2,3,4 tetrahydroquinazoline 6 carboxylic acid (benzo[1,3]dioxol 5 ylmethyl)amide,
- 3 (4-Chlorobenzyl) 2,4 dioxo-1,2,3,4 tetrahydroquinazoline-6 carboxylic acid (benzo[1,3]dioxol-5 ylmethyl)amide,
- 3 (4 Chlorobenzyl) 1 methyl-2,4-dioxo-1,2,3,4-tetrahydroquinazoline-6-carboxylic acid (benzo[1,3]dioxol-5-ylmethyl)amide,
- -- 1,3 Dimethyl 2,4 dioxo 1,2,3,4-tetrahydroquinazoline 6 carboxylic acid benzo[1,3]dioxol 5 ylmethyl)amide,
- 3 (Benzo[1,3]dioxol 5 ylmethyl) 2,4 dioxo-1,2,3,4 tetrahydroquinazoline 6 carboxylic acid (benzo[1,3]dioxol 5 ylmethyl)amide,
- 3 (Benzo[1,3]dioxol 5 ylmethyl) 1-methyl 2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6-



- Benzyl 3 benzyl-2,4-dioxo-1,2,3,4 tetrahydropyrido[2,3 d]pyrimidine-6-carboxylate — 4 Pyridylmethyl 3 benzyl 2,4 dioxo 1,2,3,4 tetrahydropyrido[2,3 d]pyrimidine 6 carboxylate, - 3 Benzyl-4-oxo 2-thioxo 1,2,3,4 tetrahydroguinazoline 6 carboxylic acid (benzo[1,3]dioxol-5-ylmethyl)amide, -4-[6 (4-Hydroxy-benzylcarbamoyl)-1-methyl-2,4 dioxo-1,4 dihydro-2H quinazolin-3vlmethyl] benzoic acid, 3 (4 Dimethylcarbamoyl benzyl)-1 methyl-2,4-dioxo-1,2,3,4 tetrahydroquinazoline-6carboxylic acid 4 methoxy benzylamide, 1 Methyl-3 (4 methylcarbamoyl-benzyl) 2,4 dioxo-1,2,3,4 tetrahydro-quinazoline-6carboxylic acid 4-methoxy benzylamide, 3 Allyl-1-methyl 2,4 dioxo 1,2,3,4-tetrahydro quinazoline-6 carboxylic acid 4methoxy-benzylamide, 1 Methyl-2,4 dioxo 3 (2 pyrrol-1-yl-ethyl) 1,2,3,4 tetrahydro quinazoline 6 carboxylic acid 4 methoxy benzylamide, 1 Methyl-2,4 dioxo 3 prop 2 ynyl-1,2,3,4 tetrahydro-quinazoline 6 carboxylic acid 4 methoxy-benzylamide, 1 Methyl 3 (3 methyl but 2 enyl) 2,4 dioxo 1,2,3,4 tetrahydro-quinazoline 6 carboxylic acid 4-methoxy-benzylamide, 1 Methyl 2,4 dioxo 3 pyridin 2 ylmethyl 1,2,3,4 tetrahydro quinazoline 6 <del>carbox ylic</del> acid 4-methoxy benzylamide, — 3 Carbamoylmethyl-1 methyl 2,4 dioxo-1,2,3,4 tetrahydro-quinazoline 6 carboxylic acid 4-methoxy benzylamide, — 1 Methyl 2,4 dioxo 3 pyridin 3 ylmethyl 1,2,3,4 tetrahydro quinazoline 6 earbox ylie acid 4 methoxy benzylamide,



3 [6 (4 Methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro 2H-quinazolin 3\_ yl] propionic acid, - Ethyl 4 [6 (4-methoxy-benzylcarbamoyl) 1 methyl-2,4 dioxo 1,4-dihydro 2Hquinazolin 3 yl] butyrate. 4 [6 (4 Methoxy benzylcarbamoyl)-1-methyl-2,4-dioxo-1,4 dihydro-2H-quinazolin-3yll-butyric acid, - Methyl [4-[6-(4-methoxy-benzylcarbamoyl)-1-methyl-2,4-dioxo-1,4-dihydro-2Hquinazolin 3 ylmethyl]-phenyl) acetate, [4 [6 (4-Methoxy benzylcarbamoyl)-1-methyl-2,4-dioxo-1,4 dihydro-2H-quinazolin-3 vlmethyl]-phenyl] acetic acid; 3 (4 Dimethylcarbamoylmethyl-benzyl)-1-methyl 2,4-dioxo 1,2,3,4-tetrahydroquinazoline-6-carboxylic acid 4-methoxy-benzylamide, - 1 Methyl-2,4-dioxo 3 [(E) 3 (pyridin-3-yl) allyl] 1,2,3,4-tetrahydro quinazoline-6carboxylic acid 4-methoxy-benzylamide, 1 Methyl-2,4 dioxo 3 [(E) 3 (pyridin 4 yl) allyl] 1,2,3,4 tetrahydro quinazoline 6 carboxylic acid 4 methoxy benzylamide, 1 Methyl-2,4-dioxo 3 (4 sulfamoyl-benzyl) 1,2,3,4 tetrahydroquinazoline 6carboxylic acid 4 methoxy-benzylamide, 3 (4 Methanesulfonyl benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6 carboxylic acid 4-methoxy benzylamide, 3 (4 Dimethylsulfamoyl-benzyl) 1 methyl-2,4 dioxo 1,2,3,4 tetrahydro-quinazoline-6carboxylic acid 4 methoxy-benzylamide, 3 [4 (2-Dimethylamino ethylsulfamoyl) benzyl] 1-methyl-2,4-dioxo-1,2,3,4tetrahydro -quinazoline 6-carboxylic acid 4-methoxy-benzylamide, 1 Methyl 3 (4-methylsulfamoyl benzyl) 2,4-dioxo 1,2,3,4 tetrahydro quinazoline 6carboxylic acid 4 methoxy-benzylamide, — Methyl 3-[6-(4-Methoxy-benzylcarbamoyl) 1-methyl 2,4-dioxo 1,4-dihydro 2H-

# quinazolin-3-ylmethyl] benzoate, 3-[6 (4 Methoxy-benzylcarbamoyl) 1 methyl-2,4 dioxo 1,4 dihydro 2H-quinazolin-3\_ ylmethyl] benzoic acid; (E) Methyl-4 [6 (4-methoxy benzylcarbamoyl) 1-methyl-2,4 dioxo-1,4-dihydro 2Hquinazolin-3-yl] but-2 enoate, 4 [6 (4-Methoxy-benzylcarbamoyl) 1-methyl-2,4-dioxo-1,4 dihydro-2H quinazolin-3\_ yl]-but-2 enoic acid, — Methyl 5 [6 (4-methoxy benzylcarbamoyl)-1-methyl 2,4 dioxo-1,4 dihydro 2Hquinazolin-3-ylmethyl]-furan-2-carboxylate, 5 [6 (4 Methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro 2H quinazolin-3\_ vlmethyl] furan-2 carboxylic acid, Methyl 5-[6-(4-methoxy-benzylcarbamoyl) 1-methyl 2,4 dioxo-1,4 dihydro-2Hquinazolin-3-ylmethyl] thiophene-2-carboxylate, 5 [6 (4-Methoxy-benzylcarbamoyl) 1-methyl-2,4-dioxo 1,4-dihydro 2H quinazolin-3\_ ylmethyl] thiophene-2 carboxylic acid, 1 Methyl 3 (4 nitro benzyl) 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6 carboxylic acid 4 methoxy-benzylamide, 3 (4 Amino-benzyl) 1 methyl-2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6 carboxylic acid 4-methoxy-benzylamide, - 3 (4 Dimethylamino benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6carboxylic acid 4 methoxy-benzylamide, - 3 (4 Acetylamino benzyl) 1-methyl 2,4-dioxo 1,2,3,4-tetrahydro-quinazoline-6earboxylic acid 4 methoxy-benzylamide, - 3 [4 (N,N methylsulfonylamino) benzyl] 1 methyl 2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6 carboxylic acid 4 methoxy-benzylamide, - 3 Benzofurazan 5 ylmethyl 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro-quinazoline 6 carboxylic acid 4 methoxy benzylamide,

3 [2 (4-Fluorophenoxy) ethyl] 1 methyl 2,4 dioxo-1,2,3,4 tetrahydro quinazoline 6 carboxylic acid 4-methoxy benzylamide, 3-(2 Benzenesulfonyl ethyl)-1-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6carboxylic acid 4 methoxy-benzylamide, 3 (3 fluoro 4 methoxy-benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro-quinazoline 6 carboxylic acid 4-methoxy benzylamine, 1 Methyl 2,4 dioxo 3 [4 (2H-tetrazol-5-yl) benzyl] 1,2,3,4 tetrahydro quinazoline 6 carboxylic acid 4 methoxy benzylamide, 1 Methyl 3 [4 (5-methyl 1,2,4 oxadiazol 3-yl) benzyl] 2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6 carboxylic acid 4 methoxy benzylamide, -1 Methyl-3 [4 (3 methyl-1,2,4 oxadiazol-5 yl) benzyl] 2,4-dioxo-1,2,3,4 tetrahydroquinazoline-6 carboxylic acid 4 methoxy-benzylamide, 2 chloro 4 [6 (4 methoxy benzylcarbamoyl) 1-methyl-2,4-dioxo-1,4dihydro-2H quinazolin-3-ylmethyl] benzoate, 2 Chloro 4-[6 (4 methoxy benzylcarbamoyl)-1-methyl 2,4 dioxo-1,4-dihydro-2H quinazolin-3-ylmethyl] benzoic acid, — 1 Methyl 3 [4 (1 methyl 1H tetrazol 5 yl) benzyl] 2,4 dioxo 1,2,3,4 tetrahydroquinazoline-6-carboxylic acid 4-methoxy-benzylamide, - 1 Methyl-3 [4 (2 methyl-2H tetrazol-5-yl) benzyl] 2,4 dioxo-1,2,3,4 tetrahydroquinazoline 6 carboxylic acid 4 methoxy benzylamide, - Methyl 2-methoxy 4 [6 (4-methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo-1,4dihydro 2H-quinazolin-3-ylmethyl]-benzoate, 2 Methoxy 4 [6-(4 methoxy-benzylcarbamoyl)-1-methyl-2,4 dioxo-1,4 dihydro-2Hquinazolin 3 ylmethyll-benzoic acid, — Methyl 2 hydroxy 4 [6 (4 methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro-2H quinazolin-3-ylmethyl]-benzoate, 2 Hydroxy 4 [6 (4 methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro 2H quinazolin-3-ylmethyll-benzoic acid, - Methyl - 2 methyl 4 [6 (4 methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro-

2H-quinazolin-3-ylmethyl]-benzoate,
2 Methyl 4 [6 (4 methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro 2H-
quinazolin-3-ylmethyl]-benzoic acid,
— 1-Methyl 2,4 dioxo 3 (pyridin 4 methyl) 1,2,3,4 tetrahydro quinazoline carboxylic
acid (benzo[1,3]dioxol 5 ylmethyl) amide,
- 1-Methyl 2,4 dioxo-3 (pyridin-4-ylmethyl) 1,2,3,4 tetrahydro quinazoline carboxylic
acid 4-methoxy-benzylamide,
1 Methyl-2,4 dioxo 3 (pyridin 4 ylmethyl) 1,2,3,4 tetrahydro quinazoline 6
earboxylic acid 4 hydroxy-benzylamide,
— Methyl 4-[6 (3 methoxy-benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro 2H
quinazolin 3 ylmethyl] benzoate,
— 4-[6 (3 Methoxy-benzylcarbamoyl) 1 methyl-2,4-dioxo-1,4-dihydro-2H quinazolin-
3-
ylmethyl] benzoic acid,
- Methyl 4 [1 methyl-6 (4 methylsulfanyl benzylcarbamoyl) 2,4 dioxo 1,4 dihydro
<del>2H-</del>
quinazolin 3 ylmethyl] benzoate,
— 4-[1 Methyl 6 (4 methylsulfanyl benzylcarbamoyl) 2,4 dioxo-1,4 dihydro 2H-
quinazolin 3 ylmethyl] benzoic acid,
- Methyl 4 [1 ethyl-2,4 dioxo 6 (4 trifluoromethoxy benzylcarbamoyl) 1,4 dihydro
<del>2H-</del>
quinazolin-3 ylmethyl] benzoate,
— Methyl 4 [6 (4-fluoro benzylcarbamoyl) 1 methyl 2,4 dioxo-1,4 dihydro 2H-
quinazolin-3-ylmethyl] benzoate,
— 4 [6 (4 Fluoro-benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro 2H quinazolin 3-
ylmethyl] benzoic acid,
- Methyl - 4-{6-[(benzofurazan-5-ylmethyl) carbamoyl]-1-methyl 2,4-dioxo 1,4
<del>dihydro</del>
2H-quinazolin 3 ylmethyl) benzoate,
4 [6 [(Benzofurazan-5 ylmethyl) carbamoyl] 1 methyl 2,4 dioxo 1,4 dihydro 2H
quinazolin 3 ylmethyl}-benzoic acid;

Methyl 4 [6-(4-methoxy-benzylcarbamoyl) 2,4-dioxo-1,4-dihydro 2H quinazolin-3vlmethyl]-benzoate, - Methyl 4 [1-ethyl 6 (4-methoxy-benzylcarbamoyl) 2,4-dioxo 1,4 dihydro 2Hquinazolin-3-ylmethyl]-benzoate, 4 [1 Ethyl-6 (4-methoxy benzylcarbamoyl) 2,4-dioxo-1,4-dihydro-2H quinazolin 3vlmethyl] benzoic acid; 3 (4 Methoxy benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6 <del>carboxylic</del> -acid (pyridin 4 ylmethyl)-amide, 3 (4 Hydroxy benzyl) 1-methyl 2,4 dioxo 1,2,3,4 tetrahydro-quinazoline 6 earboxylic acid (pyridin 4 ylmethyl) amide, - 3 (4-Cyano benzyl) 1-methyl 2,4 dioxo-1,2,3,4 tetrahydro-quinazoline 6 carboxylic acid (pyridin 4 ylmethyl)-amide, 1 Methyl 2,4 dioxo-3 (3-pyridin 4 yl allyl)-1,2,3,4 tetrahydro-quinazoline-6 carboxylic acid (pyridin-4-ylmethyl) amide, - Methyl 4 [1 methyl 2,4 dioxo 6 [(pyridin 4-ylmethyl) carbamoyl] 1,4 dihydro 2Hquinazolin-3 ylmethyl)-benzoate, — 4-{1 Methyl 2,4 dioxo-6-[(pyridin 4-ylmethyl) carbamoyl] 1,4-dihydro 2H quinazolin 3 ylmethyl)-benzoic acid, - Methyl (4-[1 methyl-2,4-dioxo-6 [(pyridin-4-ylmethyl) carbamoyl] 1,4 dihydro 2Hquinazolin-3-ylmethyl) phenyl)-acetate, — (4 [1 Methyl-2,4 dioxo 6 [(pyridin-4-ylmethyl) carbamoyl] 1,4 dihydro 2Hquinazolin-3-ylmethyl) phenyl)-acetic acid, - Methyl - 4-[1 methyl 2,4 dioxo 6-[(1-oxy pyridin 4-ylmethyl)carbamoyl] 1,4dihydro-2H quinazolin 3 ylmethyl] benzoate, - 4-[1 Methyl 2,4 dioxo-6-[(1-oxy pyridin 4 ylmethyl)-carbamoyl]-1,4 dihydro 2Hquinazolin-3-ylmethyl}-benzoic acid, - Methyl [6 [(1,3 Benzodioxol 5 ylmethyl) carbamoyl] 3 benzyl 2,4 dioxo 1,4 dihvdro-

methyl | benzoic acid,

2H quinazolin 1 yl]-acetate, - [6 [(1,3 Benzodioxol-5 ylmethyl) carbamoyl] 3 benzyl-2,4 dioxo-3,4 dihydro-2Hquinazolin 1 yl}-acetic acid, — Methyl 4-[6-[(1,3-benzodioxol-5-ylmethyl) carbamoyl]-1-methyl-2,4-dioxo-1,4dihydro 2H quinazolin-3 ylmethyl] benzoate, 4-[6-[(1,3-Benzodioxol-5-ylmethyl) carbamoyl] 1-methyl-2,4-dioxo-1,4-dihydro-2Hquinazolin 3 ylmethyl | -benzoic acid, 3 Benzyl-1-methyl 2,4 dioxo 1,2,3,4-tetrahydro quinazoline 6 carboxylic acid 4-sulfamoyl-benzylamide, - 3 Benzyl-1-methyl 2,4 dioxo-1,2,3,4-tetrahydro-quinazoline 6 carboxylic acid [3 (pyridin 4 ylsulfanyl)-propyl] amide, - 3 Benzyl 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro-quinazoline 6 carboxylic acid (4 morpholin 4 yl butyl) amide, - 3 Benzyl-1 methyl 2,4 dioxo-1,2,3,4 tetrahydro-quinazoline 6 carboxylic acid (1 benzyl-piperidin 4 yl) amide, 3 Benzyl 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6 carboxylic acid 4 hydroxy-benzylamine. - Ethyl (4-[[(3 benzyl-1-methyl 2,4 dioxo-1,2,3,4 tetrahydro-quinazoline 6 carbonyl) amino]-methyl]-phenoxy) acetate, (4-[[(3 Benzyl 1 methyl-2,4-dioxo 1,2,3,4-tetrahydro quinazoline-6carbonyl)amino]methyl)-phenoxy)-acetic acid, 3 Benzyl-1 methyl-2,4 dioxo 1,2,3,4 tetrahydro-quinazoline-6 carboxylic acid 4 dimethylcarbamoylmethoxy benzylamide, - 3 Benzyl 1-methyl-2,4-dioxo 1,2,3,4-tetrahydro quinazoline-6-carboxylic acid (3-phenyl-allyl) amide, 3 Benzyl 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6 carboxylic acid 4-cyano-benzylamide, - 4-{[(3-Benzyl-1-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carbonyl)aminol-

- 3 Benzyl-1 methyl-2,4 dioxo-1,2,3,4 tetrahydro quinazoline-6 carboxylic acid 4 dimethylcarbamoyl benzylamide,
- 3 (4 Dimethylamino benzyl) 2,4 dioxo 1,2,3,4 tetrahydro quinazoline-6 carboxylic acid 4 methoxy benzylamide,
- 3 [4-(N-methylsulfonylamino) benzyl] 1 methyl 2,4 dioxo-1,2,3,4 tetrahydro-quinazoline 6 carboxylic acid 4-methoxy-benzylamide,
- tert Butyl [5-[6 (4-Methoxy benzylcarbamoyl)-1-methyl 2,4 dioxo-1,4 dihydro 2*H*-quinazolin-3-ylmethyl] pyridin-2-yl]-carbamate,
- 3 (6 Amino pyridin 3-ylmethyl) 1 methyl-2,4-dioxo 1,2,3,4 tetrahydro quinazoline-6-

earboxylic acid-4-methoxy-benzylamide,

- 1,3 Dimethyl 2,4 dioxo 1,2,3,4 tetrahydro pyrido[2,3-d]pyrimidine 6-carboxylic acid (1,3-benzodioxol-5-ylmethyl) amide,
- 1,3-Dimethyl-2,4-dioxo-1,2,3,4-tetrahydro-pyrido[3,4-*d*]pyrimidine-6-carboxylic acid (1,3-benzodioxol-5-ylmethyl)-amide,
- 3-Benzyl-1 methyl-2,4 dioxo 1,2,3,4-tetrahydro pyrido[2,3-d] pyrimidine 6-carboxylic

acid (1,3 benzodioxol-5 ylmethyl) amide,

4-[6 (4 Methoxy-benzylcarbamoyl) 1-methyl-2,4 dioxo 1,4 dihydro 2H pyrido[2,3-d]

pyrimidin-3 ylmethyll-benzoic acid,

- 3 (4 Cyano benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro pyrido[2,3 d] pyrimidine 6-

carboxylic acid 4 methoxy benzylamide,

3 (4 Fluoro-benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro-pyrido[2,3 d]pyrimidine-6-

carboxylic acid 4-methoxy-benzylamide,

- 3-Benzyl-1-methyl-2,4-dioxo-1,2,3,4-tetrahydro-pyrido[3,4-d] pyrimidine-6-carboxylic
- acid (1,3-benzodioxol-5-ylmethyl)-amide,
- Methyl 4-[6-(4-Methoxy-benzylcarbamoyl)-1-methyl-2,4-dioxo-1,4-dihydro-2*H*-

pyrido[3,4-d]pyrimidin-3-ylmethyl]-benzoate,

- 4-[6-(4-Methoxy-benzylcarbamoyl)-1-methyl-2,4-dioxo-1,4-dihydro-2*H*-pyrido[3,4-*d*] pyrimidin-3-ylmethyl]-benzoic acid,
- 4-[6-(3-Methoxy-benzylcarbamoyl)-1-methyl-2,4-dioxo-1,4-dihydro-2*H*-pyrido[3,4-*d*]

pyrimidin-3-ylmethyl]-benzoic acid, and

- 3-(4-Cyano-benzyl)-1-methyl-2,4-dioxo-1,2,3,4-tetrahydro-pyrido[3,4-*d*]pyrimidine-6-

carboxylic acid 4-methoxy-benzylamide,

- 3 Benzyl-1-methyl-6 (3-phenyl-propionyl)-1H-quinazoline-2,4-dione,
- 3 Benzyl-1-methyl 2,4 dioxo-1,2,3,4 tetrahydro quinazoline 6 carboxylic acid
- (E) 3 pyridin 4 yl allyl ester,
- 3 Benzyl-1-methyl 2,4 dioxo-1,2,3,4 tetrahydro-quinazoline 6 carboxylic acid
- (E) 3 pyridin-3-yl allyl ester,
- 3 Benzyl-1-methyl 6 [2 (pyridin 4 ylsulfanyl) acetyl] 1H quinazoline 2,4 dione,
- 3 (4 Aminomethyl benzyl) 1 methyl 2,4 dioxo-1,2,3,4 tetrahydro-quinazoline 6-carboxylic acid 4 methoxy-benzylamide,
- 3 (2' Cyano biphenyl 4 ylmethyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6 carboxylic acid 4 methoxy benzylamide,
- 1 Methyl 2,4 dioxo 3 [2' (1H-tetrazol 5 yl) biphenyl 4 ylmethyl] 1,2,3,4 tetrahydro-quinazoline 6 carboxylic acid 4 methoxy benzylamide,
- Methyl 4' [6 (4-methoxy-benzylcarbamoyl) 1-methyl-2,4-dioxo 1,4-dihydro 2*H*-quinazolin 3-ylmethyl] biphenyl 2-carboxylate,
- 4' [6 (4 Methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4-dihydro 2H quinazolin-3-

ylmethyl] biphenyl 2 carboxylic acid,

- Ethyl 2 Fluoro 4-[6 (4 methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro-2H quinazolin 3 ylmethyl] benzoate,
- 2 Fluoro 4 [6 (4 methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro 2*H*-quinazolin 3 ylmethyl] benzoic acid,

- 2 Methoxy 4 [6 (4-methoxy benzylcarbamoyl) 1-methyl 2,4 dioxo-1,4 dihydro 2H quinazolin 3 ylmethyl] benzoic acid 2-dimethylamino ethyl ester, 4 [6 (4 Methoxy-benzylcarbamoyl) 1-methyl-2,4 dioxo-1,4 dihydro-2H-quinazolin-3\_ ylmethyl] 2-methyl-benzoic acid 2-dimethylamino ethyl ester, 1-Methyl 2,4 dioxo-3-[4 (5 oxo 4,5-dihydro 1,2,4 oxadiazol-3 yl) benzyl]-1,2,3,4tetrahydro quinazoline 6 carboxylic acid 4-methoxy benzylamide, - [4 [6 (4-Methoxy benzylcarbamoyl) 1 methyl 2,4-dioxo 1,4-dihydro 2H-quinazolin-3-yl] phenyl) acetic acid, 1 Methyl-3 (1 naphthalen 1 yl ethyl) 2,4 dioxo-1,2,3,4-tetrahydro quinazoline-6carboxylic acid (1,3-benzodioxol-5-ylmethyl) amide, - 3 (3 Fluoro benzyl) 1 methyl-2,4-dioxo-1,2,3,4 tetrahydro quinazoline-6 carboxylic acid (pyridin 4 ylmethyl)-amide, - 3 (3 Fluoro benzyl) 1 methyl 2,4 dioxo-1,2,3,4 tetrahydro-quinazoline 6 carboxylic acid (2 methoxy pyridin 4 ylmethyl) amide, - 3 (3 Fluoro benzyl) 1 methyl 2,4 dioxo-1,2,3,4 tetrahydro-quinazoline-6 carboxylic acid (pyridin 3 ylmethyl) amide, 3 (3 Fluoro benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6 carboxylic acid 4-methoxy benzylamide, 3 (3 Fluoro-benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6 carboxylic acid 3-methoxy benzylamide, - 1-Ethyl 3 (3 fluoro-benzyl) 2,4 dioxo-1,2,3,4 tetrahydro quinazoline 6 carboxylic acid (pyridin-4-ylmethyl) amide, - 1 Ethyl 3 (3 fluoro-benzyl) 2,4 dioxo-1,2,3,4 tetrahydro quinazoline 6 carboxylic acid (pyridin-3-ylmethyl) amide, - 3 (4 Bromo benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro quinazoline-6-carboxylic acid 4-methoxy-benzylamide, - 3 (4 Bromo benzyl)-1 methyl 2,4-dioxo-1,2,3,4-tetrahydro quinazoline-6-carboxylic acid (2-methoxy-pyridin-4-ylmethyl)-amide, - 3 (3,4 Difluoro benzyl) 1-methyl 2,4 dioxo 1,2,3,4 tetrahydro-quinazoline 6

carboxylic acid (pyridin-3-ylmethyl)-amide,

3-(3,4 Difluoro-benzyl) 1-methyl 2,4 dioxo 1,2,3,4-tetrahydro quinazoline 6carboxylic acid (pyridin-4-ylmethyl)-amide, 3 (3,4 Difluoro-benzyl) 1 methyl 2,4-dioxo-1,2,3,4 tetrahydro-quinazoline-6carboxylic acid 4 methoxy-benzylamide, - 3 (3 chloro 4 fluoro benzyl) 1 methyl-2,4-dioxo 1,2,3,4 tetrahydro-quinazoline 6carboxylic acid (pyridin 4 ylmethyl) amide, - 3 (3-Chloro 4 fluoro benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6 carboxylic acid 4-methoxy-benzylamide, 4 [6 (4 Methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro 2H quinazolin-3\_ vlmethyll-benzoate(2-hydroxy ethyl) trimethyl-ammonium, 4 [6 (4 Methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro 2H quinazolin-3vlmethyl] benzoic acid hemicalcium, 4 [6 (4 Methoxy benzylcarbamoyl) 1 methyl-2,4 dioxo 1,4 dihydro-2H quinazolin-3ylmethyl]-benzoic acid hemimagnesium, 3 (4 Chloro benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6 carboxylic acid (pyridin-4-ylmethyl) amide, 3 (4 Fluoro benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6 carboxylic acid (pyridin-4-ylmethyl) amide, 3 (4 Fluoro benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6 carboxylic acid (pyridin 3 ylmethyl) amide, 3 (4 Chloro-benzyl)-1 methyl 2,4 dioxo 1,2,3,4 tetrahydroquinazoline-6 carboxylic acid (pyridin 3 ylmethyl) amide, — 3 (4 Fluoro benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6 carboxylic acid 3-methoxy benzylamide, - 3 (4-Chloro-benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydroquinazoline-6-carboxylic acid 3-methoxy-benzylamide, 3 (4 Fluoro benzyl) 1-methyl 2,4 dioxo 1,2,3,4-tetrahydroquinazoline-6-carboxylic acid (2 methoxy pyridin-4 ylmethyl) amide,

```
3 (4 Chloro benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6 carboxylic
acid (2-methoxy pyridin-4-ylmethyl)-amide,
- tert-Butyl 1 [4-[6-(4-methoxy benzylcarbamoyl) 1-methyl-2,4-dioxo-1,4-dihydro-
<del>2H-</del>
quinazolin 3 ylmethyl] -phenyl] cyclopropanecarboxylate,
  1-[4-[6-(4-Methoxy-benzylcarbamoyl)-1-methyl-2,4-dioxo-1,4-dihydro-2H-
quinazolin-3-ylmethyl]-phenyl] cyclopropanecarboxylic acid,
 3-Benzyl 6 benzylsulfanyl 1-methyl-1H-quinazoline-2,4-dione,
- 3 Benzyl-1-methyl 6 phenylmethanesulfinyl-1H quinazoline 2,4-dione,
- 3-Benzyl 1-methyl 6 phenylmethanesulfonyl 1H quinazoline 2,4 dione,
  4 [6 (4-methoxy benzylcarbamoyl) 1 methyl 2,4-dioxo 1,4 dihydro 2H-quinazoline
3_
vlmethyll benzoic acid tert butoxycarbonylmethyl ester,
  4 [6-(4-methoxy benzylcarbamoyl) 1 methyl 2,4-dioxo 1,4 dihydro-2H-quinazoline
3_
ylmethyl] benzoic acid dimethylamino dimethyl propyl ester,
4 [6 (4 methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro 2H quinazoline
3_
ylmethyl] benzoic acid dimethylamino-methyl propyl ester,
4 [6 (4-methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro 2H quinazoline
3_
ylmethyl] -benzoic acid 2 dimethylamino-ethyl ester,
4 [6 (4 methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro 2H quinazoline
3-
vlmethyll-benzoic acid chloromethyl ester,
4 [6 (4-methoxy benzylcarbamoyl)-1-methyl 2,4 dioxo-1,4 dihydro-2H quinazoline-
3-
ylmethyl] benzoic acid 2 tert butoxycarbonylamino-3 methyl-1-butanoyloxymethyl
ester.
- 4 [6 (4 methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro 2H quinazoline
3_
```

butanovloxymethyl ester.

ylmethyl] benzoic acid 2-amino 3-methyl butanoyloxymethyl ester hydrochloride,

— 4 [6 (4-methoxy-benzylcarbamoyl)-1-methyl 2,4-dioxo-1,4-dihydro 2H-quinazoline-3ylmethyl] benzoic acid—2 (2-tert-butoxycarbonylamino 3-methyl-butanoyloxymethyl ester,

— and 4 [6 (4-methoxy-benzylcarbamoyl)-1-methyl 2,4-dioxo-1,4-dihydro-2H-quinazoline-3-ylmethyl] benzoic acid 2 (2-amino 3-methyl-butanoylamino) 3-methyl-


Claim 16 (currently amended). A compound of formula (I) according to Claim 1 which is:

- 4-[6-(4-Methoxy-benzylcarbamoyl)-1-methyl-2,4-dioxo-1,4-dihydro-2*H*-pyrido[3,4-*d*]pyrimidin-3-ylmethyl]-benzoic acid,
- 3-Benzyl-1-methyl-2,4-dioxo-1,2,3,4-tetrahydro-pyrido[3,4-*d*]pyrimidine-6-carboxylic acid (1,3-benzodioxol-5-ylmethyl)-amide,
- 4 [6 (4 Fluoro benzylcarbamoyl) 1 methyl 2,4-dioxo 1,4 dihydro 2*H*-quinazolin 3 ylmethyl] benzoic acid,
- 1 Methyl-2,4 dioxo 3 [4 (5-oxo 4,5 dihydro-1,2,4 oxadiazol-3 yl)-benzyl]
  1,2,3,4 tetrahydro quinazoline 6 carboxylic acid 4 methoxy benzylamide,
- 4-[6-(4-Methoxy benzylcarbamoyl) 1 methyl-2,4-dioxo 1,4 dihydro 2*H*-quinazolin-3 ylmethyl] benzoic acid hemicalcium salt,
- Methyl 4-[6-(4-Methoxy-benzylcarbamoyl)-1-methyl-2,4-dioxo-1,4-dihydro-2*H*-pyrido[3,4-*d*]pyrimidin-3-ylmethyl]-benzoate,
- 4 [6 (3 Methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo-1,4 dihydro 2*H* quinazolin-3 ylmethyl] benzoic acid,
- 1 Methyl-2,4 dioxo 3 [4 (2H tetrazol 5 yl) benzyl] 1,2,3,4 tetrahydroquinazoline 6 carboxylic acid 4 methoxy benzylamide,
- Methyl 2 hydroxy 4 [6 (4 methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo-1,4 dihydro-2*H* quinazolin 3 ylmethyl] benzoate,
- 3 (4 Chloro benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6-carboxylic acid 3 methoxy benzylamide,

- 4 [6 [(1,3-Benzodioxol-5 ylmethyl) carbamoyl] 1 methyl 2,4-dioxo-1,4dihydro-2H-quinazolin-3-ylmethyl)-benzoic acid, - 2-Hydroxy-4-[6-(4-methoxy-benzylcarbamoyl) 1-methyl-2,4 dioxo-1,4dihydro 2H quinazolin 3-ylmethyl]-benzoic acid, - Methyl 4 [6 (3 methoxy-benzylcarbamoyl) 1-methyl 2,4 dioxo 1,4 dihydro-2H-quinazolin-3-ylmethyl] benzoate, 3 (3 Fluoro benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6 carboxylic acid 3 methoxy-benzylamide. 4-Pyridylmethyl 3-benzyl 2,4 dioxo 1,2,3,4 tetrahydroquinazoline-6carboxylate, - Methyl 4-[6-[(1,3 benzodioxol-5-ylmethyl)-carbamoyl] 1-methyl 2,4 dioxo-1.4 dihydro 2H quinazolin 3 ylmethyl) benzoate, - 1 Methyl 3 [4 (5-methyl 1,2,4 oxadiazol 3 yl) benzyl] 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6 carboxylic acid 4 methoxy benzylamide, 1-Methyl 3 [4-(3-methyl 1,2,4-oxadiazol 5 yl) benzyl]-2,4 dioxo-1,2,3,4tetrahydro quinazoline 6 carboxylic acid 4-methoxy-benzylamide, - 3 (3 Fluoro benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6 earboxylic acid (2-methoxy pyridin-4-ylmethyl) amide, - 4-[6-(4-Methoxy-benzylcarbamoyl)-1-methyl-2,4-dioxo-1,4-dihydro-2H] quinazolin 3 ylmethyl] benzoic acid, - 1-14-16 (4 Methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro 2H quinazolin 3 ylmethyl] phenyl] cyclopropanecarboxylic acid, 4 Pyridylmethyl 3 benzyl 1 methyl 2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6 carboxylate, 3 (4 Fluoro benzyl) 1 methyl-2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6 carboxylic acid 3-methoxy benzylamide, 3 (3,4-Difluoro benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro-quinazoline 6 carboxylic acid 4-methoxy-benzylamide, 3 (4 Dimethylcarbamoyl-benzyl) 1 methyl-2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6 carboxylic acid 4 methoxy benzylamide,

1 Methyl-3-[4 (2-methyl 2H tetrazol 5-yl) benzyl]-2,4-dioxo-1,2,3,4tetrahydro quinazoline 6 carboxylic acid 4 methoxy benzylamide, 3 (4 Bromo benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6 earboxylic acid (2-methoxy-pyridin-4-ylmethyl) amide, 3 (3,4-Difluoro benzyl) 1 methyl-2,4 dioxo 1,2,3,4-tetrahydro-quinazoline-6carboxylic acid (pyridin-3-ylmethyl) amide, Benzo[1,3]dioxol 5 ylmethyl-3-benzyl-1-methyl-2,4 dioxo-1,2,3,4 tetrahydroquinazoline-6-carboxylate, - 3 Benzyl-1 methyl-2,4 dioxo 1,2,3,4-tetrahydroquinazoline 6 carboxylic acid (benzo[1,3]dioxol-5-ylmethyl)amide, 1 Methyl-3-(4 methylcarbamoyl benzyl)-2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6-carboxylic acid 4-methoxy benzylamide, - 3 (3 Fluoro benzyl) 1 methyl 2,4-dioxo 1,2,3,4-tetrahydro-quinazoline 6 carboxylic acid 4-methoxy benzylamide, 4 [6 (4 Hydroxy benzylcarbamoyl) 1 methyl-2,4 dioxo 1,4 dihydro 2H quinazolin-3-vlmethyll-benzoic acid, - Methyl 4 [6 (4 fluoro benzylcarbamoyl) 1-methyl 2,4 dioxo 1,4 dihydro 2Hquinazolin-3-ylmethyl] benzoate, - 3 (4 Chlorobenzyl) 2,4 dioxo-1,2,3,4 tetrahydroquinazoline 6 carboxylic acid (benzo[1,3]dioxol 5 ylmethyl)amide, - 1 Methyl 3-[4-(1-methyl 1H tetrazol 5 yl) benzyl] 2,4 dioxo-1,2,3,4tetrahydro quinazoline 6 carboxylic acid 4 methoxy benzylamide, - 3-(4 Methoxybenzyl)-1 methyl 2,4-dioxo 1,2,3,4-tetrahydroquinazoline-6carboxylic acid 4-methoxybenzylamide, 4 Pyridylmethyl 3 (benzo[1,3]dioxol 5 ylmethyl) 2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6 carboxylate, — Methyl — 4 [6 (4 methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro-2H quinazolin-3-ylmethyl] benzoate, - 1 Methyl 2,4-dioxo-3 pyridin 4 ylmethyl 1,2,3,4 tetrahydro-quinazoline carboxylic acid 4 methoxy-benzylamide,

3 (4 Amino benzyl) 1 methyl 2,4-dioxo-1,2,3,4-tetrahydro-quinazoline 6 carboxylic acid 4 methoxy-benzylamide, 1 Methyl 3 (4 nitro benzyl) 2,4 dioxo 1,2,3,4 tetrahydro-quinazoline 6 carboxylic acid 4 methoxy benzylamide, - 2 Methoxy-4 [6 (4-methoxy-benzylcarbamoyl) 1-methyl 2,4-dioxo-1,4dihydro-2H quinazolin 3 ylmethyl] benzoic acid, 1 Methyl-3 (4 methylsulfamoyl-benzyl) 2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6 carboxylic acid 4 methoxy benzylamide, - 1 Methyl-2,4 dioxo-3-(4-sulfamoyl-benzyl)-1,2,3,4 tetrahydro-quinazoline-6carboxylic acid-4-methoxy-benzylamide, 3 (4-Fluoro benzyl)-1-methyl-2,4-dioxo 1,2,3,4-tetrahydro quinazoline-6carboxylic acid 4 methoxy-benzylamide, 3 (4 Fluoro-benzyl) 1 methyl-2,4-dioxo-1,2,3,4 tetrahydro-quinazoline 6 carboxylic acid (pyridin 4-ylmethyl)-amide, 3 (4 Methoxy benzyl) 1 methyl-2,4-dioxo 1,2,3,4 tetrahydro quinazoline-6carboxylic acid (pyridin 4-ylmethyl) amide, 2 Methyl 4-[6 (4 methoxy-benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro-2H-quinazolin-3-ylmethyl]-benzoic acid, 3 (4 Cyano-benzyl) 1 methyl-2,4 dioxo 1,2,3,4 tetrahydro-quinazoline-6carboxylic acid 4 methoxy-benzylamide, 4 [1 Methyl-2,4-dioxo 6 [(pyridin-4 ylmethyl) carbamoyl]-1,4-dihydro-2Hquinazolin-3-ylmethyl)-benzoic acid, 3 (3 fluoro 4 methoxy-benzyl) 1-methyl-2,4-dioxo 1,2,3,4 tetrahydroquinazoline 6 carboxylic acid 4 methoxy benzylamine, - 4-[1-Ethyl-6 (4 methoxy-benzylcarbamoyl)-2,4-dioxo-1,4 dihydro-2Hquinazolin-3-ylmethyll-benzoic acid, - 3 (Benzo[1,3]dioxol 5 ylmethyl) 2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6carboxylic acid (benzo[1,3]dioxol 5 ylmethyl)amide, - 3 (2' Cyano biphenyl 4 ylmethyl) 1-methyl 2,4 dioxo-1,2,3,4 tetrahydroquinazoline 6 carboxylic acid 4-methoxy-benzylamide,



- 2-Fluoro 4 [6 (4-methoxy-benzylearbamoyl) 1 methyl-2,4 dioxo 1,4 dihydro-2*H*-quinazolin-3-ylmethyl] benzoic acid,
- 3-(4-Cyano-benzyl)-1-methyl-2,4-dioxo-1,2,3,4-tetrahydro-pyrido[3,4-d]pyrimidine-6-carboxylic acid 4-methoxy-benzylamide, and
- 4-[6-(3-Methoxy-benzylcarbamoyl)-1-methyl-2,4-dioxo-1,4-dihydro-2*H*-pyrido[3,4-*d*]pyrimidin-3-ylmethyl]-benzoic acid,
- 4-[6 (4-Methoxy benzylcarbamoyl) 1-methyl-2,4-dioxo-1,4-dihydro-2*H*-quinazolin-3-ylmethyl]-benzoic acid hemimagnesium salt,
- 4 [6 (4 Methoxy-benzylcarbamoyl) 1 methyl-2,4 dioxo 1,4 dihydro 2*H*-pyrido[2,3-*d*]pyrimidin 3 ylmethyl] benzoic acid,
- 3-[4 (N-methylsulfonylamino) benzyl]-1-methyl-2,4 dioxo-1,2,3,4 tetrahydro-quinazoline-6-carboxylic acid 4-methoxy benzylamide,
- Ethyl 2 Fluoro 4 [6 (4-methoxy-benzylcarbamoyl) 1-methyl 2,4-dioxo 1,4-dihydro 2*H*-quinazolin 3-ylmethyl] benzoate,
- 3 (4 Dimethylsulfamoyl benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6 carboxylic acid 4 methoxy benzylamide,
- and 3-(4-Methoxybenzyl)-1-methyl-2,4-dioxo-1,2,3,4-tetrahydroquinazoline-6-carboxylic acid (benzo[1,3]dioxol-5-ylmethyl)amide.

### Claims 17 to 27 (canceled).

Claim 28 (currently amended). A process for manufacturing a compound of genral formula general formula (I) in which  $X_1$  and  $X_3$  are CH,  $X_2$  is N, Z is -NR<sub>7</sub> in which R<sub>7</sub> is as defined in the compound of formula (I), W is O, and Y is O, characterized in that the said process comprises a step in which a compound of general (XXXII):

is reacted in a first step with selenium dioxide in the presence of acetic acid, in a second step with dimethylhydrazine, and in a third step with N,N'-dimethylformamide dimethylacetal under reflux of DMF, to give a compound of formula (XXXIII):

followed by reacting the the compound of formula (XXXIII) whith with methyl acrylate in the presence of palladium diacetate, to give the compound of general formula (XXXIV):

followed by reacting the compound of formula (XXXIV) whith chlorobenzene and acetic acid to give the compound of formula (XXXV):

followed by reacting the compound of formula (XXXV) in the presence of a base to give the compound of general formula (XXXVI):

the said compound of formula (XXXVI):

- either is reacted, in the presence of an acid activator such as TOTU, with the compound of formula (VII):

$$(\mathbf{R}_{2})_{\mathbf{m}} \underbrace{\mathbf{A}}_{\mathbf{N}} \underbrace{\mathbf{R}_{7}}_{\mathbf{N}}$$
 (VII)

in which  $R_7$  is selected from hydrogen,  $(C_1-C_6)$ alkyl, aryl $(C_1-C_6)$ alkyl, cycloalkyl, aryl and heteroaryl, and A,  $R_2$ ,  $Z_1$ , m and n are as defined in the summary of the invention, to give the compound of general formula (XXXVII):

$$(R_2)_m \xrightarrow{A} (Z_1)_n \xrightarrow{N} O \qquad (XXXVII)$$

in which A,  $R_2$ ,  $R_7$ ,  $Z_1$ , m and n are as defined hereinbefore, and  $X_1$  and  $X_3$  represents each -CH group,

- or is reacted in a first step with AlCl<sub>3</sub> in the presence of benzene, and in a second step in the presence of an acid activator such as TOTU, with the compound of formula (VII):

$$(\mathbf{R}_2)_{\mathbf{m}} \underbrace{\mathbf{A}}_{\mathbf{N}} \underbrace{\mathbf{R}_7}_{\mathbf{N}}$$
 (VII)

in which  $R_7$  is selected from hydrogen,  $(C_1-C_6)$ alkyl, aryl $(C_1-C_6)$ alkyl, cycloalkyl, aryl and heteroaryl, and A,  $R_2$ ,  $Z_1$ , m and n are as defined in the summary of the invention, to give the compound of general formula (XXXVIII):

$$(R_2)_m \xrightarrow{A} (Z_1)_n \xrightarrow{N} O \xrightarrow{X_1} N \xrightarrow{N} O$$

$$(XXXVIII)$$

in which A,  $R_2$ ,  $R_7$ ,  $Z_1$ , m and n are as defined hereinbefore, and  $X_1$  and  $X_3$  represents each -CH group,

followed by reacting the compound of formula (XXXVIII) with a compound of formula  $R_3$ -X in which  $R_3$  is as defined in the compound of general formula (I), in the presence of a base, to give the compound of formula (XXXIX):

$$(R_2)_m \xrightarrow{A} (Z_1)_n \xrightarrow{N} X_1 \xrightarrow{N} X_2 \xrightarrow{N} R_3 \qquad (XXXIX)$$

Claim 29 (currently amended). Pharmaceutical A pharmaceutical composition comprising a compound according to any one of Claims 1 to 15 Claims 1, 3, 4, 8, 9, 11
15 and a pharmaceutically acceptable excipient.

#### Claims 30 and 36 (canceled).

Claim 37 (currently amended). A method for treating according to Claim 35 eharactherized in that the disease is arthritis a disease or complaint involving a therapy by inhibition of MMP-13 characterized in that the disease or the complaint is arthritis, the method comprising the administration of an effective amount of a compound according to any one of Claims 1, 3, 4, 8, 9, 11-16 to a patient having arthritis.

Claim 38 (currently amended). A method for treating according to Claim 35 Claim 37, charactherized in that the disease is osteoarthritis.

Claim 39 (currently amended). A method for treating according to Claim 40 Claim 37, charactherized in that the disease is rheumatoid arthritis.